



[IBM 000-255](#)

Exam Name: *test 255.dev.wwibm rational appdev-websphere software v6*

Q & A : 110 Q&As

Pdf Demo

Quality and Value for the 000-255 Exam

[Exam4Dumps Practice test](#) for IBM IBM certifications III 000-255 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 000-255 exam dumps,000-255 questions and answers is the real 000-255 practice test.

[IBM certifications III Certification](#) 000-255 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and IBM certifications III product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **000-255 practice test** and with all the correct answer.we promise the 000-255 Q&A for IBM certifications III 000-255 (test 255.dev.wwibm rational appdev-websphere software v6) examination of original title complete coverage.000-255 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide IBM certifications III 000-255 the newest Q&A, completely covers 000-255 test original topic. With our complete IBM certifications III braindumps resources, you will minimize your IBM certifications III cost and be ready to pass your 000-255 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 000-255 Exam

If you do not pass the IBM certifications III 000-255 exam on your first attempt using our Exam4Dumps **000-255 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-255 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [IBM certifications III certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-255 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. A standalone Java application creates a log file without specifying a path name. The log file will be created in:

- A. The product installation directory.
- B. The bin subdirectory under the product installation directory.
- C. The root directory of the project.
- D. The package folder in which the main Java class is located.

Answer: C

2. Datasources created in the Application Deployment Descriptor editor can be accessed by:

- A. Applications running on the server.
- B. Applications in the current workspace.
- C. Modules contained in the EAR file where the definition is made.
- D. J2EE Application client modules accessing the server.

Answer: C

3. In which TWO of the following locations can the context root of a Dynamic Web project be changed?

- A. The Modules page of the Application Deployment Descriptor editor
- B. The XML source of the application.xml file
- C. From the J2EE dialog of the Properties of the Dynamic Web project
- D. The source of the web.xml file

Answer: BC

4. A developer is creating a Struts enabled application using the Web Diagram editor. The resources in the editor that are gray and do not have bold label text are:

- A. Private.
- B. External.
- C. Unrealized.
- D. Interfaces.

Answer: C

5. A company is designing a Web application. Which TWO of the following technologies provide a model-view-controller framework?

- A. Struts
- B. Servlet
- C. JSTL
- D. JSF
- E. SDO

Answer: AD

6. Which of the following operations CANNOT be performed via the Insert Custom Tag dialog when editing a JSP in Page Designer?

- A. Import a tag library into the Web project.
- B. Add a taglib descriptor to the JSP.
- C. Add a <jsp:useBean> tag to the JSP.
- D. Add a custom JSP tag to the JSP.

Answer: C

7. What should be done to prevent the Server Selection dialog box from activating when a developer runs an Enterprise Application from its context menu?

- A. Select the "Set server as project default" option from the Server Selection wizard.
- B. Select the "Do not prompt" option in the Servers view.
- C. Create a new server and select the "Set server as workspace default" option in the Server Creation wizard.
- D. Add the project to the server from the server's context menu.

Answer: A

8. Which of the following is NOT supported by Page Designer?

- A. ASP
- B. HTML
- C. JSP
- D. JavaScript

Answer: A

9. An Enterprise Application project contains multiple Dynamic Web projects. All of the Web projects use a set of common classes defined in a Java project. The common classes are still under development and are changing daily. What is the BEST way to make the common classes available to the Web projects at runtime?

- A. Add the Java project as a Web Library Project in each of the WARs.
- B. Add the Java project as a Project Utility JAR in the EAR and create a Java JAR Dependency in each of the Dynamic Web projects.
- C. Export the Java project as a JAR file and import it into the WebContent/WEB-INF/lib folder of each of the Dynamic Web projects.
- D. Export the classes of the Java project and import the individual class files into the WebContent/WEB-INF/classes folder of each of the Dynamic Web projects.

Answer: B

10. Which TWO of the following views allow a developer to see Struts resources organized by their Struts-specific types?

- A. Project Explorer
- B. Java Browsing
- C. Struts Gallery
- D. Struts Explorer
- E. Modules

Answer: AD

11. A developer has a partially complete Web application at the C:\rootwebApplication directory. In order to continue development in Rational Application Developer, what could the developer do?

- A. Open a new workspace at C:\rootwebApplication.
- B. Open a new workspace at C:\root, and create a new Web project called webApplication.
- C. From any workspace, create a new Web project, setting the context root to C:\rootwebApplication.
- D. From any workspace, create a new Web project, and selectively import the files from C:\rootwebApplication.

Answer: D

12. Which of the following BEST describes perspectives within Rational Application Developer?

- A. A perspective is a collection of views that facilitate a particular development role.
- B. A perspective can be customized with different editors, depending on the needs of the developer.
- C. Perspectives can contain other perspectives.
- D. Perspectives are opened as a result of launching external applications.

Answer: A

13. A developer customizes the Java perspective and wants to save the changes as the default perspective that is opened in the workspace. Which of the following actions would be BEST for the developer to perform?

- A. Choose Window -> Save Perspective As and name the new perspective MyJava; Choose Window -> Preferences -> Workbench -> Perspectives, select MyJava and click Make Default.
- B. Choose Window -> Save Perspective; Choose Window -> Preferences -> Workbench -> Perspectives, select Java and click Make Default.
- C. Choose Window -> Preferences -> Workbench -> Perspectives, select Java and click Make Default.
- D. Choose Window -> Perspective -> Save Current As Default.

Answer: A

14. What can a developer do to allow quick access to a particular Help page?

- A. In the main menu, click Help -> Bookmark to bring up a list of Help topics, browse to the desired page, and click Add.
- B. In the main menu, click Favorites -> Manage Favorites, and select the desired page from the list of Help topics.
- C. In the Help window, browse to the desired page, and click the Bookmark Document icon in the toolbar.
- D. In the Help window, browse to the desired page, and click Favorites -> Add to Favorites from the menu.

Answer: C

15. A developer has imported a new EAR file into a workspace. What is the result of selecting the Enterprise Application and choosing Run -> Run on Server from its context menu?

- A. The Server Selection dialog box is activated.
- B. The "Add and remove projects" dialog is activated.
- C. The Server Creation wizard is activated.
- D. The Enterprise Application runs on the workspace default server.

Answer: A

16. A developer wants to import a zip file into a project without expanding the contents of the file. The Developer should use which of the following File -> Import features?

- A. File System
- B. Zip file
- C. Resource file
- D. J2EE Jar file

Answer: A

17. What steps MUST be performed to add a Web project to a server?

- A. Right-click on the Web project and select Add to Server Configuration. Select the desired server.
- B. Right-click on an Enterprise Application project that contains the Web application and select Add to Server Configuration. Select the desired server.
- C. Right-click on the server in the Servers view and select Add and remove projects. Select the Web project from the Available projects list and click Add.
- D. Right-click on the server in the Servers view and select Add and remove projects. Select an Enterprise Application project that contains the Web application from the Available projects list and click Add.

Answer: D

18. When a developer creates a servlet using the Servlet wizard, what is the purpose of the servlet name?

- A. It is required to be used as the servlet class name.
- B. It is used in the default URL mapping.
- C. It is used to create an interface to the servlet.
- D. It is used for filter mapping.

Answer: B

19. Which TWO of the following can be configured from the Servlets page of the Web Deployment Descriptor?

- A. Filters
- B. URL Mappings
- C. Initialization parameters
- D. Invoker Attributes

Answer: BC

20. A developer wishes to create a project that contains a mix of HTML files, JSP files, servlets, and Java classes. Which option should the developer choose in the New Project wizard?

- A. Dynamic Web Project
- B. Static Web Project
- C. Java Project
- D. Server Project

Answer: A

More [000-255 dumps](#) Information

Related 000-255 dumps

000-101	000-100	000-330	000-418	000-962
COG-480	000-136	000-960	000-210	000-433
000-432	COG-300	000-314	000-019	000-R18
000-233	000-071	000-209	000-M22	000-M15

Other IBM dumps

000-R06	000-415	000-888	000-027	000-997
000-M03	000-743	COG-205	000-927	000-P01
000-894	000-M50	000-019	000-M40	000-649
000-M15	000-527	000-324	000-042	000-298