



IBM 000-378

Exam Name: IBM WebSphere DataPower SOA Appliances, Firmware V3.7.3

Q & A : 76 Q&As

Pdf Demo

Quality and Value for the 000-378 Exam

[Exam4Dumps Practice test](#) for IBM WebSphere 000-378 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 000-378 exam dumps, 000-378 questions and answers is the real 000-378 practice test.

[WebSphere Certification](#) 000-378 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and WebSphere product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **000-378 practice test** and with all the correct answer. we promise the 000-378 Q&A for WebSphere 000-378 (IBM WebSphere DataPower SOA Appliances, Firmware V3.7.3) examination of original title complete coverage. 000-378 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

exam4dumps professional provide WebSphere 000-378 the newest Q&A, completely covers 000-378 test original topic. With our complete WebSphere braindumps resources, you will minimize your WebSphere cost and be ready to pass your 000-378 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 000-378 Exam

If you do not pass the WebSphere 000-378 exam on your first attempt using our Exam4Dumps **000-378 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-378 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [WebSphere certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-378 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. Which method finds a host's hardware address when only its IP address is known?

- A. DNS (Domain Name Service)
- B. ARP (Address Resolution Protocol)
- C. HSRP (Hot Standby Routing Protocol)
- D. DHCP (Dynamic Host Configuration Protocol)

Answer: B

2. Which statement is true about SSL security?

- A. SSL is located above the HTTP protocol layer so the HTTP headers are still in plaintext.
- B. SSL provides message level security so that intermediary nodes cannot see the message contents.
- C. SSL provides transport layer security such that data is secure between the endpoints of a connection.
- D. SSL sits below the TCP/IP layer such that the TCP functions (error control, packet marshalling, etc.) are secure.

Answer: C

3. A customer is receiving binary packed EDI using S/MIME over HTTP and S/MIME over FTP. They currently use WebSphere Partner Gateway and WebSphere Transformation Extender to send functional acknowledgements, convert the message, and send a correlated response. They are interested in improving performance and scaling this architecture to remove some of the processing overhead.

How could DataPower SOA Appliances provide a benefit to the customer in this scenario?

- A. Add XS40 appliances in the DMZ to provide WS-Security decryption of the secure payload
- B. Add XI50 appliances to convert the EDI to XML and send functional acknowledgements
- C. Add XI50 appliances to parse the attachments on the request messages and deposit the result on a WebSphere MQ queue
- D. Add XB60 appliances to move the security functionality to the DMZ and send MDN acknowledgements
- E. Add XM70 appliances to send unicast UDP responses to the clients

Answer: D

4. Which is NOT a feature of Configuration Checkpoint Management?

- A. The administrator can limit the number of Checkpoint configurations maintained.
- B. Configuration objects can be imported from Checkpoint configurations.
- C. Checkpoint configurations can be deleted from file system.
- D. Checkpoint configurations may be compared against the running configuration.
- E. Checkpoint configurations may be compared against the persisted configuration.

Answer: B

5. Which statement is true about SSL endpoint authentication?

- A. SSL always authenticates the client since the client certificate is always sent to the server.
- B. SSL always authenticates the server since the server certificate is always sent to the client.
- C. SSL guarantees the identities of the endpoints since certificates are required to flow both ways.
- D. SSL is optional; it depends on the cipher suite requested by the client.

Answer: B

6. Which statement is true about the TCP protocol?

- A. TCP is unreliable since it does not support checksum.
- B. TCP has no capability to sequence transmitted packets.
- C. TCP sends back an ACK packet if the transfer was successful.
- D. TCP is usually faster than UDP and is required for any multicasting transmission.

Answer: C

7. Regarding asymmetric keys and certificates, a certificate contains a subject's:

- A. private key and the encrypted data.
- B. private key and the identification of the issuer of the certificate.
- C. public key and private key.
- D. public key and the encrypted data.
- E. public key and the identification of the issuer of the certificate.

Answer: E

8. A company requires syncpoint on each message extracted from a Request Queue. The Message is processed via HTTP by a backend system. If the DataPower device does not successfully process the message, it should not be removed from the Request Queue. They have created a Multi-Protocol Gateway Service which uses an MQ Front Side Handler and an MQ Queue Manager to facilitate this.

How can they implement syncpoint?

- A. Set the Queue Manager objects Units Of Work property to 1
- B. Set the Queue Manager objects Total Connection Limit property to 1
- C. The DataPower device utilizes an MQ Client, syncpoint cannot be implemented
- D. The DataPower device utilizes an MQ Client, syncpoint is implemented by default
- E. Create two Queue Manager objects, assign the Request Queue to one Queue Manager and the Reply Queue to the other then add them both to a single MQ Queue Manager Group

Answer: A

More [000-378 dumps](#) Information

Related 000-378 dumps				
000-374	000-378	000-372	000-M37	000-527
000-376	000-528	000-529	000-375	000-M46
LOT-989	000-379	000-373		

Other IBM dumps				
000-632	000-079	000-807	COG-112	000-011
000-235	000-232	000-892	000-871	000-904
000-286	000-867	000-142	000-466	000-017
000-751	000-637	LOT-710	000-M19	000-207