



[IBM 000-897](#)

Exam Name: IBM Tivoli Network Manager IP Edition V3.7 Implementation

Q & A : 126 Q&As

[Pdf Demo](#)

Quality and Value for the 000-897 Exam

[Exam4Dumps Practice test](#) for IBM IBM certifications II 000-897 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 000-897 exam dumps,000-897 questions and answers is the real 000-897 practice test.

[IBM certifications II Certification](#) 000-897 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and IBM certifications II product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **000-897 practice test** and with all the correct answer.we promise the 000-897 Q&A for IBM certifications II 000-897 (IBM Tivoli Network Manager IP Edition V3.7 Implementation) examination of original title complete coverage.000-897 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide IBM certifications II 000-897 the newest Q&A, completely covers 000-897 test original topic. With our complete IBM certifications II braindumps resources, you will minimize your IBM certifications II cost and be ready to pass your 000-897 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 000-897 Exam

If you do not pass the IBM certifications II 000-897 exam on your first attempt using our Exam4Dumps **000-897 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-897 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-897 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. Click the Exhibit button.

The IBM Tivoli Network Manager IP Edition administrator has configured the ifOutErrors poll. Which corrective action needs to be taken to poll every switch and router that has been discovered?

- A. Clear the EndNode box.
- B. Clear the Sun box because Sun servers can act as routers.
- C. Select the InferredCE box because these could be routers or switches.
- D. Clear the 3ComFDDI box because these do not support the ifOutErrors MIB variable.

Answer: A

2. Which statement is true about using the file finder with the discovery service?

- A. Multiple seed files can be used.
- B. The ping finder must be disabled.
- C. The discovery scope is automatically generated.
- D. Device SNMP community strings are read from the seed file.

Answer: A

3. Assume an installed IBM Tivoli Network Manager IP Edition V3.7.

In which file can an administrator verify the name of the ObjectServer that the IBM Tivoli Network Manager IP Edition V3.7 gateway will connect to?

- A. NcoLogin.cfg
- B. NcoGateInserts.cfg
- C. DbLogins.<DOMAIN>.cfg
- D. CtrlServices.<DOMAIN>.cfg

Answer: D

4. What is the minimum recommended Ethernet connection required to run a large discovery with IBM Tivoli Network Manager IP Edition?

- A. 1 Gbps full duplex
- B. 10 Mbps full duplex
- C. 100 Mbps full duplex
- D. 1100 Mbps half duplex

Answer: C

5. Which command is used to start a non-GUI installation if IBM Tivoli Network Manager IP Edition V3.7 is installed as a nonroot user on a UNIX system?

- A. ./SETUP -console
- B. ./INSTALL -errorlevel 4
- C. ./INSTALL -errorlevel debug
- D. ./INSTALL -console -errorlevel info

Answer: D

6. If you have installed Netcool and other components on the same server as a nonroot user, which other Netcool components residing on the same system need to be installed as a nonroot user?

- A. Netcool/OMNibus.
- B. Netcool GUI Foundation.
- C. Netcool Security Manager.
- D. No other components are required.

Answer: D

7. What must be done to prepare for an IBM Tivoli Network Manager IP Edition V3.7 installation?

- A. Change the user name of the administrative user to netcool.
- B. Restore the default security settings for Netcool GUI Foundation.
- C. Manually run a new provisioning script for Netcool GUI Foundation.
- D. Gather details for required architecture (servers, database, failover, size).

Answer: D

8. Which additional step must be taken after using the IBM Tivoli Network Manager IP Edition V3.7 GUI to install IBM Tivoli Network Manager IP Edition V3.7 on a UNIX or Linux server as a nonroot user?

- A. Log in to Netcool GUI Foundation and enable nonroot access.

- B. Log in to Netcool Security Manager and enable nonroot access.
- C. Log in to the IBM Tivoli Network Manager IP Edition V3.7 server as root and run the appropriate shell script to enable nonroot access.
- D. Log in to the IBM Tivoli Network Manager IP Edition V3.7 server as a nonroot user and run the appropriate shell script to enable nonroot access.

Answer: C

9. Which three operating systems are officially supported for IBM Tivoli Network Manager IP Edition V3.7? (Choose three.)

- A. AIX 5.3
- B. Centos 4
- C. Solaris 9
- D. HP-UX 11
- E. Red Hat Linux 3.0
- F. Windows 2000 Server

Answer: ACE

10. If IBM Tivoli Network Manager IP Edition V3.7 is installed as nonroot and the application will run as root, what should be done after this installation?

- A. Run the script set_run_as_root.sh.
- B. Run the script setup_run_as_setuid_root.sh.
- C. Run the command chown R root:sys \$NCHOME/precision.
- D. Run the command chown R netcool:netcool \$NCHOME/precision.

Answer: A

11. What are two valid seed file entries for use with a file finder discovery configuration? (Choose two.)

- A. 192.168.0.*:Network1
- B. Router1 192.168.0.10
- C. 192.168.0.10;Router1
- D. 192.168.0.1-254,Network1
- E. 192.168.0.10-16:Router1 interfaces

Answer: BC

12. The customer has specified two IBM Tivoli Network Manager IP Edition domains (Domain A and B, on different servers) for different administrative areas. However, the customer would like to visualize and administer and configure both domains from a central point using a single NGF server.

Given the three available servers, where would the NCIM database reside to meet the requirements and ensure the best possible performance?

- A. on the server for Domain A
- B. on the server for Domain B
- C. on or located logically close to the Netcool GUI Foundation server
- D. on both of the IBM Tivoli Network Manager IP Edition domain hosting servers

Answer: C

13. NcoGateSchema contains information used for root cause analysis. What are the two primary fields used in this file for this function? (Choose two.)

- A. RuleSetMap
- B. ncpRuleName
- C. RCAErrorMap
- D. ErrorMapName
- E. EventMapName

Answer: BE

14. Which file would be edited to run the ExtraDetails agent during the next discovery?

- A. CtrlServices.<DOMAIN>.cfg
- B. DiscoAgents.<DOMAIN>.cfg
- C. DiscoSchema.<DOMAIN>.cfg
- D. MonitorSchema.<DOMAIN>.cfg

Answer: B

15. What must be done before the installation of IBM Tivoli Network Manager IP Edition V3.7?

- A. Obtain geographic location of all network devices.
- B. Gather list of network devices that provide syslog messages.

- C. Gather list of network devices that do not provide SNMP access.
- D. Obtain IBM Tivoli Network Manager IP Edition 3.7 server root level access or equivalent.

Answer: D

16. Which type of file is the parameter description file when using the silent option in the command-line installation on Windows?

- A. txt
- B. tab
- C. xml
- D. csv

Answer: C

17. Which table should be queried to verify whether all the IP addresses for a particular device are discovered successfully?

- A. Details.returns
- B. finders.returns
- C. AssocAddress.returns
- D. translations.ipToBaseName;

Answer: C

18. Which command should be used to encrypt a community string (EXAMPLE) during manual configuration of the IBM Tivoli Network Manager IP Edition V3.7 SNMP passwords file?

- A. nco_crypt EXAMPLE
- B. ncp_crypt EXAMPLE
- C. nco_crypt -password EXAMPLE
- D. ncp_crypt -password EXAMPLE

Answer: D

19. Before the installation of IBM Tivoli Network Manager IP Edition V3.7, which piece of information would be used to gauge the physical size (CPU, memory, disk) of the server required to support the core IBM Tivoli Network Manager IP Edition processes (discovery, root cause analysis, and active monitoring)?

- A. number of servers in the target network
- B. number of connections between devices
- C. number of interfaces in the target network
- D. number of concurrent read-and-write users accessing Topoviz

Answer: C

20. If the IBM Tivoli Network Manager IP Edition V3.7 NCIM database is going to be installed on a remote server, which of the following statements is true?

- A. Using a remote NCIM database is not advised for performance reasons.
- B. The local database must be MySQL; the remote can be Oracle, DB2, or MySQL.
- C. The local and remote databases must share the same database ID and user credentials to allow replication.
- D. The local IBM Tivoli Network Manager (ncpoller and ncmib) databases and NCIM database must all be MySQL.

Answer: B

More [000-897 dumps](#) Information

Related 000-897 dumps

000-331	000-253	000-903	000-926	000-351
000-647	000-833	000-443	000-807	000-806
000-631	000-918	000-284	000-649	000-798
000-971	000-637	000-664	000-484	000-635

Other IBM dumps

LOT-805	000-667	000-347	000-078	000-011
000-639	000-060	000-M61	000-141	000-R13
000-228	000-331	000-M02	000-745	000-389
000-921	000-774	000-R14	000-431	000-793