



## **IBM 000-901**

**Exam Name:** IBM Tivoli Netcool/OMNibus V7.1

**Q & A :** 114 Q&As

**Pdf Demo**

### **Quality and Value for the 000-901 Exam**

[Exam4Dumps Practice test](#) for IBM IBM certifications I 000-901 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 000-901 exam dumps,000-901 questions and answers is the real 000-901 practice test.

[IBM certifications I Certification](#) 000-901 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and IBM certifications I product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **000-901 practice test** and with all the correct answer.we promise the 000-901 Q&A for IBM certifications I 000-901 (IBM Tivoli Netcool/OMNibus V7.1) examination of original title complete coverage.000-901 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide IBM certifications I 000-901 the newest Q&A, completely covers 000-901 test original topic. With our complete IBM certifications I braindumps resources, you will minimize your IBM certifications I cost and be ready to pass your 000-901 tests on Your First Try, 100% Money Back Guarantee included!

### **100% Guarantee to Pass Your 000-901 Exam**

If you do not pass the IBM certifications I 000-901 exam on your first attempt using our Exam4Dumps **000-901 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 000-901 Testing engines and PDF Version**

Our Braindumps Preparation Material provides you everything you will need to take a [IBM certifications I certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free 000-901 Exams:**

***This is demo only, this pdf do not include the questions and answers pictures***

1. How do you change the default installation location for IBM Tivoli Netcool/OMNIBus v7.1?

- A.You use the command line override to the Common Installer.
- B.You check the Verbose Install option in the Common Installer GUI.
- C.You extract the .jar files and move the contents to the desired location.
- D.The directory cannot be changed during installation and must be modified afterwards.

Answer: A

2. If a probe patch needs to be removed or backed out, the following command can be used:

```
$OMNIHOME/install/nco_patch -remove <patch_ID>
```

How can you determine the patch\_ID needed by the nco\_patch utility?

- A.You look up the name of the patch in the .pdf documentation for the probe.
- B.The name of the patch\_ID is the same as the name of the probe executable.
- C.You run the command \$OMNIHOME/install/nco\_patch -print=short.
- D.You run the command \$OMNIHOME/bin/nco\_id for a list of installed packages.

Answer: C

3. Probe patches for Windows are delivered with which file extension?

- A..gz
- B..zip
- C..tar.Z
- D..tar.gz

Answer: B

4. Your customer wants to install the IBM Tivoli Netcool Suite on AIX.

What is the default installation location of Netcool?

- A./usr/netcool
- B./opt/netcool
- C./usr/omnibus
- D./root/omnibus

Answer: A

5. What occurs when the BREAK command is used within a trigger?

- A.It stops the execution of a procedure.
- B.It ends the current loop and proceeds to the next statement.
- C.It executes the sequence until ELSEIF, ELSE, or END IF is reached.
- D.It exits and writes the value of an expression to a variable or parameter.

Answer: B

6. What is the default location of the installation of the Netcool License Server V1.0.31?

- A.\$NCHOME/flexlm
- B.\$NCHOME/license
- C.\$NCHOME/common
- D.\$NCHOME/omnibus/license

Answer: B

7. A common user requirement is to provide a "north-bound" interface from the Netcool ObjectServer to a third-party Network Management System. This is used to pass event data from the Netcool ObjectServer to the third-party system.

Which component of Netcool can be used to satisfy this requirement?

- A.TL1 TSM
- B.socket probe
- C.SNMP gateway
- D.generic log file probe

Answer: C

8. Which command creates an ObjectServer named NCOMS on a Windows machine?

- A.%NCHOME%omnibusbinco\_dbinit -name NCOMS
- B.%NCHOME%omnibusbinco\_dbinit -server NCOMS
- C.%NCHOME%omnibusbinco\_new\_server -name NCOMS

D.%NCHOME%omnibusinnco\_new\_server -server NCOMS

Answer: B

9. Which syntax is used to determine which options are available for the INSTALL utility?

- A../INSTALL -info
- B../INSTALL -help
- C../INSTALL props
- D../INSTALL -options

Answer: B

10. Click the Exhibit button.

The customer needs to manage a nationwide network with many WAN connections. To minimize network traffic across the WAN links, Collection ObjectServers will be deployed toward the edges of the networks at regional data centers. Aggregation and Display ObjectServers will be located in a central location. There are firewalls between the regional data centers and the central location. The exhibit contains the omni.dat file. All of the ObjectServers use port 6969 for IDUC.

Which two ports must be opened in the firewall to enable alarm data to be transferred from the Collection ObjectServers to the Aggregation ObjectServers? (Choose two.)

- A.4100
- B.4102
- C.4103
- D.4106
- E.6969

Answer: AE

11. A government institution is interested in monitoring their Oracle-based internally developed applications with the Tivoli Netcool suite. They only allow secure, encrypted communications between components of the solution.

Which procedure should the institution implement to ensure secure communication is implemented?

- A.No additional procedures are necessary, as there is documentation stating encryption is supported by both applications.
- B.They only need to implement SSL between the internally developed Oracle applications and a Netcool probe since the default configuration communicates with the ObjectServer using encryption methods.
- C.They should set up network equipment to enforce routing policies between the internally developed Oracle applications and the Netcool since encryption is not supported with the Tivoli Netcool probe communication libraries.
- D.They should test communications between the internally developed Oracle applications and the Netcool suite by running a probe local to the host where the database is located and configuring the probe to run in secure mode and establish an SSL session with the ObjectServer.

Answer: D

12. According to instructions in a typical patch README file for UNIX, which two UNIX utilities are necessary to extract a probe patch's contents from the downloaded probe patch file? (Choose two.)

- A.tar
- B.gzip
- C.zcat
- D.bzip2
- E.gunzip

Answer: AC

13. Which command can be run on a UNIX server to verify that Process Agent is running and responding properly?

- A./usr/local/bin/lsof
- B.\$OMNIHOME/bin/nco\_pad
- C./usr/bin/ps -ef | grep nco\_pa
- D.\$NCHOME/omnibus/bin/nco\_pa\_status

Answer: D

14. How do you create a group of users in the ObjectServer?

- A.configure group name, group ID and roles
- B.configure user names, user ID and restriction filters
- C.run the UNIX command groupadd and assign an ID, a name and users to it
- D.run \$OMNIHOME/nco\_sql and insert: ObjectServer name, group name, user name and a unique identifier

Answer: A

15. Under a default IBM Tivoli Netcool/OMNIBus v7.1 install on UNIX/Linux, which command can be used to start the Event List?

- A./opt/netcool/bin/nco
- B./opt/netcool/bin/nco\_event
- C./opt/netcool/omnibus/bin/nco\_elct
- D./opt/netcool/omnibus/bin/nco\_event

Answer: D

16. What is the default value for the NCHOME environment variable for a Windows installation?

- A.C:netcool
- B.C:Program Filesnetcool
- C.C:Program Filesomnibus
- D.C:Program FilesMicromusenetcool

Answer: D

17. Where is the default location of the license file(s) for License Server V1.0.31?

- A.C:Program Filesnetcoolcommonlicenseetc
- B.C:Program FilesMicromusenetcoollicenseetc
- C.C:Program FilesMicromuseomnibuslicenseetc
- D.C:Program FilesMicromusecommonlicenseetc

Answer: B

18. Which two do you use to configure a probe to communicate with a particular ObjectServer? (Choose two.)

- A.the -name property on the command line
- B.the -server property on the command line
- C.the Name property in the probe properties file
- D.the Server property in the probe properties file
- E.the Manager property in the probe properties file

Answer: BD

19. How do you configure a second communication port between the Netcool License Server and IBM Tivoli Netcool/OMNibus v7.1 components?

- A.add the port on the vendor line in the license.lic file
- B.modify the flexlm startup script to use a different port
- C.run \$OMNIHOME/bin/nco\_start\_license -port <specify port>
- D.run \$NCLICENSE/bin/nc\_start\_license -port <specify port>

Answer: A

20. Flex is installed on HOSTX using the default port number.

What is the correct value for the \$NETCOOL\_LICENSE\_FILE UNIX environment variable?

- A.27000@HOSTX
- B.HOSTX@27000
- C./opt/netcool/common/license
- D./opt/netcool/common/license/etc/license.lic

Answer: A

More [000-901 dumps](#) Information

#### Related 000-901 dumps

000-974	000-223	000-377	000-015	000-990
000-417	000-669	000-316	000-667	000-913
000-936	000-431	000-084	000-994	000-111
000-908	000-017	000-113	000-207	000-011

#### Other IBM dumps

000-102	000-221	000-136	000-117	000-419
000-378	000-M07	000-387	000-M34	000-006
000-641	000-912	COG-105	000-961	000-798
COG-142	000-252	LOT-959	000-885	000-855