



IBM 000-920

Exam Name: IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation

Q & A : 109 Q&As

Pdf Demo

Quality and Value for the 000-920 Exam

[Exam4Dumps Practice test](#) for IBM IBM certifications II 000-920 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 000-920 exam dumps,000-920 questions and answers is the real 000-920 practice test.

[IBM certifications II Certification](#) 000-920 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and IBM certifications II product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **000-920 practice test** and with all the correct answer.we promise the 000-920 Q&A for IBM certifications II 000-920 (IBM Tivoli Comp Ap.Mgr for Response Time V6.2 Implementation) examination of original title complete coverage.000-920 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide IBM certifications II 000-920 the newest Q&A, completely covers 000-920 test original topic. With our complete IBM certifications II braindumps resources, you will minimize your IBM certifications II cost and be ready to pass your 000-920 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 000-920 Exam

If you do not pass the IBM certifications II 000-920 exam on your first attempt using our Exam4Dumps **000-920 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 000-920 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [IBM certifications II certification](#) examination. Details are researched and produced by [IBM Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 000-920 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. What is the name of the ITCAM for Web Response Time information file for silent installation of the monitoring agent on a Windows platform?

- A.T3V620_Silent.txt
- B.T4V620_Silent.txt
- C.T5V620_Silent.txt
- D.T6V620_Silent.txt

Answer: C

2. Which Tivoli Enterprise Monitoring Agent can be used in the customers environment to monitor custom Application Response Measurement (ARM) enabled applications?

- A.ITCAM for Web Response Time
- B.ITCAM for Robotic Response Time
- C.ITCAM for SOA (Service Oriented Architecture)
- D.ITCAM for End User Response Time Dashboard

Answer: B

3. What is an important consideration when designing the placement of the Rational Performance Tester workbench with regard to the ITCAM for End User Response Time Dashboard?

- A.the operating system of the ITCAM for Robotic Response Time agent
- B.the type of database that is used to support the Tivoli Data Warehouse
- C.the operating system of the ITCAM for End User Response Time Dashboard agent
- D.there should be no firewalls between the Rational Performance Tester workbench system and ITCAM for End User Response Time Dashboard

Answer: D

4. How can you determine whether or not the Windows Network Monitor has been installed on a monitored system?

- A.from the CLI, run net start | grep Windows Network Monitor
- B.view the Network Connection Properties
- C.on a Windows system, run the ipconfig /all command
- D.use the netstat a command

Answer: B

5. When is historical data collection configuration possible?

- A.when Tivoli Enterprise Portal is up and running as required
- B.when ITCAM for Response Time V6.2 agent is communicating with the Tivoli Enterprise Portal
- C.when ITCAM for Response Time V6.2 agent is communicating with the Tivoli Enterprise Monitoring Server
- D.when Tivoli Enterprise Portal Server is connecting as required with Tivoli Enterprise Monitoring Server

Answer: C

6. Which three communication methods can the ITCAM for Web Response Time agent use to communicate with the Tivoli Enterprise Monitoring Server? (Choose three.)

- A.SSH
- B.SNA
- C.FTP
- D.IP.UDP
- E.IPX/SPX
- F.IP.SPIPE

Answer: BDF

7. Which type of Tivoli Enterprise Monitoring Server can be selected when installing the ITCAM for End User Response Time Dashboard agent on a remote Tivoli Enterprise Monitoring Server?

- A.Tivoli Enterprise Monitoring Server Master Hub
- B.Tivoli Enterprise Monitoring Server Remote Hub
- C.Tivoli Enterprise Monitoring Server Hot Standby
- D.Tivoli Enterprise Monitoring Server Cold Standby

Answer: C

8. During the planning phase of a customer deployment of ITCAM for Response Time V2, the customer needs to monitor real user 3270

transactions.

Which Tivoli Enterprise Monitoring Agent needs to be deployed in the customers environment?

- A.ITCAM for Web Response Time
- B.ITCAM for Client Response Time
- C.ITCAM for Robotic Response Time
- D.ITCAM for End User Response Time Dashboard

Answer: B

9. During the planning phase of a customer deployment of ITCAM for Response Time V6.2, the customer needs to monitor custom ARM-enabled applications.

Which two Tivoli Enterprise Monitoring Agents provide custom Application Response Measurement (ARM) application response time monitoring? (Choose two.)

- A.ITCAM for Web Response Time
- B.ITCAM for Client Response Time
- C.ITCAM for Robotic Response Time
- D.ITCAM for SOA (Service Oriented Architecture)
- E.ITCAM for End User Response Time Dashboard

Answer: BC

10. What is the minimum disk space required for the deployment of the ITCAM for Response Time V6.2 Web Response Time agent for deployment planning purposes?

- A.256 KB
- B.512 MB
- C.1024 KB
- D.1024 MB

Answer: B

11. Which three communication protocol settings can the ITCAM for Client Response Time agent use to communicate with the Tivoli Enterprise Monitoring Server? (Choose three.)

- A.SNA
- B.SSH
- C.FTP
- D.IP.UDP
- E.DecNet
- F.IP.SPIPE

Answer: ADF

12. Which ITCAM for Web Response Time component detects and tracks network transactions between the Web server and end users or other machines, and calculates response time for each transaction?

- A.the Analyzer
- B.the Collector
- C.the HTTPS Filter
- D.the Tivoli Enterprise Portal Server

Answer: A

13. What is the name of the ITCAM for Client Response Time information file for silent installation of the monitoring agent on a Windows platform?

- A.T3V620_Silent.txt
- B.T4V620_Silent.txt
- C.T5V620_Silent.txt
- D.T6V620_Silent.txt

Answer: B

14. Which statement is true about robotic script depots within the enterprise on a Tivoli Enterprise Monitoring Server hub?

- A. There should be two file depots.
- B. There should be three file depots.
- C. There should be only one file depot.
- D. There should be a primary and secondary depot.

Answer: C

15. An operator can only see numbers (not names) for objects in the Tivoli Enterprise Portal workspaces of a particular agent type.

What is the likely solution for this problem?

- A. reinstall that agent on the problematic server
- B. reinstall that agent type on the monitored servers
- C. reinstall the agent support files for that agent type on Tivoli Enterprise Portal
- D. reinstall the agent support files for that agent type on Tivoli Enterprise Portal Server
- E. reinstall the agent support files for that agent type on the Tivoli Enterprise Console
- F. reinstall the agent support files for that agent type on Tivoli Enterprise Monitoring Server

Answer: CDF

16. What is the name of the ITCAM for Robotic Response Time Information file for silent installation of the monitoring agent on a Windows platform?

- A. T3V620_Silent.txt
- B. T4V620_Silent.txt
- C. T5V620_Silent.txt
- D. T6V620_Silent.txt

Answer: D

17. What information is required when installing the ITCAM End User Response Time Dashboard agent on a Windows system?

- A. Tivoli Data Warehouse IP address or host name
- B. Tivoli Enterprise Portal Server IP address or host name
- C. Tivoli Enterprise Monitoring Server IP address or host name
- D. Tivoli Enterprise Portal Desktop Client IP address or host name

Answer: C

18. When implementing ITCAM for Response Time V6.2, you forgot to add support files for the Tivoli Enterprise Portal Server.

What happens as the result of this omission?

- A. Only ITCAM for Response Time V6.2 agent situations will be affected.
- B. Only ITCAM for Response Time V6.2 agent workspaces will be affected.
- C. ITCAM for Response Time V6.2 situations will only be affected for a day.
- D. ITCAM for Response Time V6.2 situations and workspaces will be affected.

Answer: D

19. Which network protocol is preferred if the ITCAM for Web Response Time agent is connecting to a Tivoli Enterprise Monitoring Server via a firewall?

- A. SNA
- B. IP.UDP
- C. IP.PIPE
- D. IP.SPIPE

Answer: C

20. What is the name of the ITCAM for End User Response Time Dashboard information file for silent installation of the monitoring agent on a Linux or UNIX platform?

- A. T3V620_Silent_UNIX.txt
- B. T4V620_Silent_UNIX.txt
- C. T5V620_Silent_UNIX.txt
- D. T6V620_Silent_UNIX.txt

Answer: A

21. Which parameter must be set when installing the ITCAM for Web Response Time agent in appliance mode?

- A. KFC_OWN_NETWORK_DATA_ONLY=Y
- B. KFC_OWN_NETWORK_DATA_ONLY=N
- C. KFC_CAPTURE_OWN_DEVICE_NAME=Y
- D. KFC_CAPTURE_OWN_DEVICE_NAME=N

Answer: C

22. The Web Response Time ITC remote deployment bundle can be optionally added to which system?

- A. Tivoli Enterprise Console
- B. Tivoli Enterprise Portal Server
- C. Tivoli Enterprise Monitoring Server
- D. Tivoli Enterprise Portal desktop client

Answer: C

23. Where are the support files for ITCAM for Response Time V6.2 agents installed on UNIX and Linux by default?

- A. /opt/IBM/ITM
- B. /opt/Tivoli/ITM
- C. /usr/bin/IBM/ITM
- D. /usr/local/IBM/ITM

Answer: C

24. You are planning the deployment of the ITCAM for End User Response Time Dashboard.

What information is needed with regard to the Tivoli Data Warehouse database configuration options parameters? (Choose two.)

- A. database version
- B. database name or SID name
- C. JMX SOAP connector server port
- D. Tivoli Data Warehouse Schema user login name
- E. operating system of the Tivoli Enterprise Monitoring Server

Answer: BD

25. What is the host name referring to when reviewing the communication protocol settings for the deployment of the ITCAM for Client Response Time agent?

- A. Tivoli Enterprise Monitoring Console
- B. Tivoli Data Warehouse database
- C. ITCAM for Web Response Time agent
- D. Tivoli Enterprise Monitoring Server

Answer: D

26. You are planning for the deployment of ITCAM for Robotic Response Time.

Which three characteristics affect the time that is needed to complete a single iteration of a robotic script? (Choose three.)

- A. script content
- B. script complexity
- C. location of the Tivoli Data Warehouse
- D. the system the script is accessing during playback
- E. operating system of the Tivoli Enterprise Portal Server
- F. version of Rational Performance Administrator used to create the script

Answer: ABD

27. Which two actions must be completed to enable robotic playback of a Rational Robot scripts? (Choose two.)

- A. set DCOM Config Security permissions
- B. install the Rational Robot application on the robotic monitor host
- C. install the ITCAM for Client Response Time agent on the robotic monitor host
- D. install the ITCAM for Robotic Response Time application support files on the robotic monitor host
- E. configure the Rational Robot parameters on the ITCAM for Rational Response Time Tivoli Enterprise Monitoring Server

Answer: AB

28. What is the port number referring to when reviewing the communication protocol settings for the deployment of the ITCAM for Client Response Time agent?

- A. the port number of the Tivoli Data Warehouse database
- B. the listening port for the Tivoli Enterprise Monitoring Server
- C. the transmission port for the ITCAM for Client Response Time agent
- D. the transaction port name for the Tivoli Enterprise Monitoring Server

Answer: B

29. What do you do to successfully install ITCAM for Response Time V6.2 agent support files?

- A. You install the support files and check the next day.
- B. You reboot the component, install the support files, configure, and restart.
- C. You stop the Tivoli Monitoring component, install the support files, and restart the component.
- D. You install the support files. The Tivoli monitoring component will be stopped in the process and you will need to restart it.

Answer: C

30. Given the following screen shot of a default ITCAM for Response Time V6.2 workspace:

How would you find this workspace in the physical Tivoli Enterprise Portal Navigator?

- A. click Applications under any Web Response Time node

- B.click any Client Response Time node in the Navigator
 - C.click Dashboard under any Robotic Response Time node
 - D.click Dashboard under the End User Response Time node
- Answer: D

More [000-920 dumps](#) Information

Related 000-920 dumps

000-331	000-253	000-903	000-926	000-351
000-647	000-833	000-443	000-807	000-806
000-631	000-918	000-284	000-649	000-798
000-971	000-637	000-664	000-484	000-635

Other IBM dumps

000-713	000-M49	000-530	000-340	000-202
000-M22	000-234	000-646	000-700	000-872
000-512	000-316	000-060	000-994	000-931
000-995	000-M06	000-866	000-735	000-742