



[Lpi 117-202](#)

Exam Name: Lpi Level 2 Exam 202

Q & A : 110 Q&As

Pdf Demo

Quality and Value for the 117-202 Exam

[Exam4Dumps Practice test](#) for Lpi LPIC Level 2 117-202 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 117-202 exam dumps, 117-202 questions and answers is the real 117-202 practice test.

[LPIC Level 2 Certification](#) 117-202 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and LPIC Level 2 product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **117-202 practice test** and with all the correct answer. we promise the 117-202 Q&A for LPIC Level 2 117-202 (Lpi Level 2 Exam 202) examination of original title complete coverage. 117-202 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

exam4dumps professional provide LPIC Level 2 117-202 the newest Q&A, completely covers 117-202 test original topic. With our complete LPIC Level 2 braindumps resources, you will minimize your LPIC Level 2 cost and be ready to pass your 117-202 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 117-202 Exam

If you do not pass the LPIC Level 2 117-202 exam on your first attempt using our Exam4Dumps **117-202 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 117-202 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [LPIC Level 2 certification](#) examination. Details are researched and produced by [Lpi Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 117-202 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. This program has 3 operating modes: copyin mode, copyout mode, and copypass mode, and is used to copy files into or out of archives. What program is this? (Please provide the command name only, with no arguments or path.)

Answer: cpio

2. A correctly formatted entry has been added to /etc/hosts.allow to allow certain clients to connect to a service, but this is having no effect. What would be the cause of this?

- A. tcpd needs to be sent the HUP signal.
- B. The service needs to be restarted.
- C. The machine needs to be restarted.
- D. There is a conflicting entry in /etc/hosts.deny.
- E. The service does not support tcpwrappers.

Answer: E

3. A security-conscious administrator would change which TWO of the following lines found in an SSH configuration file?

- A. Protocol 2,1
- B. PermitEmptyPasswords no
- C. Port 22
- D. PermitRootLogin yes
- E. IgnoreRhosts yes

Answer: AD

4. for an LDAP client configuration, the LDAP base needs to be set. Which TWO of the following actions would achieve that?

- A. export LDAPBASE=dc=linuxfoo,dc=com
- B. export BASE=dc=linuxfoo,dc=com
- C. Edit ldapbase.conf and add "BASE dc=linuxfoo,dc=com".
- D. Edit cldap.conf and add "BASE dc=linuxfoo,dc=com".
- E. Edit ldap.conf and add "BASE dc=linuxfoo,dc=com".

Answer: AE

5. Which statements about the Alias and Redirect directives in Apache's configuration file are true?

- A. Alias can only reference files under DocumentRoot.
- B. Redirect works with regular expressions.
- C. Redirect is handled on the client side.
- D. Alias is handled on the server side.
- E. Alias is not a valid configuration directive.

Answer: CD

6. To allow X connections to be forwarded from or through an SSH server, what line must exist in the sshd configuration file?

Answer: X11Forwarding yes

7. What happens when the Linux kernel can't mount the root filesystem when booting?

- A. An error message is shown, showing which device couldn't be mounted or informing that init couldn't be found.
- B. An error message is shown and the system reboots after a keypress.
- C. An error message is shown and the system boots in maintenance mode.
- D. An error message is shown and the administrator is asked to specify a valid root filesystem to continue the boot process.
- E. An error message is shown, stating that the corresponding kernel module couldn't be loaded.

Answer: A

8. In the file /var/squid/url_blacklist is a list of URLs that users should not be allowed to access. What is the correct entry in Squid's configuration file to create an acl named blacklist based on this file?

- A. acl blacklist urlpath_regex /var/squid/url_blacklist
- B. acl blacklist file /var/squid/url_blacklist
- C. acl blacklist "/var/squid/url_blacklist"
- D. acl blacklist urlpath_regex "/var/squid/url_blacklist"
- E. acl urlpath_regex blacklist /var/squid/url_blacklist

Answer: D

9. What command must be used to create an SSH keypair? Please enter the command without the path or any options or parameters.

Answer: ssh-keygen

10. Enter one of the Apache configuration file directives that defines where log files are stored.

Answer: ErrorLog CustomLog ScriptLog RewriteLog TransferLog

11. Journalling doesn't appear to be working on an ext3 filesystem. When booting, the following line appears:

VFS: Mounted root (ext2 filesystem) readonly.

What could be causing the problem?

- A. An old version of e2fsprogs is installed.
- B. The kernel does not contain ext3 support.
- C. The filesystem is specified as ext2 in /etc/fstab.
- D. The system was not shut down cleanly.

Answer: B

12. Which Apache directive allows the use of external configuration files defined by the directive AccessFileName?

- A. AllowExternalConfig
- B. AllowAccessFile
- C. AllowConfig
- D. IncludeAccessFile
- E. AllowOverride

Answer: E

13. The syntax of the procmail configuration file is?

A. :0[flags]:[:[lockfile]]

[* condition]

action

B. [* condition]

action

:0[flags]:[:[lockfile]]

C. :0[flags]:[:[lockfile]]

[* condition] action

D. :0:[flags]:[:[lockfile]]:[* condition]

action

E. :0[flags]:[:[lockfile]]:[* condition]:action

Answer: A

14. Which TWO /etc/hosts.allow entries will allow access to sshd from the class C network 192.168.1.0?

- A. sshd : 192.168.1.
- B. sshd : 192.168.1
- C. sshd : 192.168.1.0 netmask 255.255.255.0
- D. sshd : 192.168.1.0/255.255.255.0
- E. sshd : 192.168.1.0

Answer: AD

15. route shows the following output:

Destination Gateway Genmask Flags Metric Ref Use Iface

194.168.123.5 255.255.255.255 !H 0 0 0

192.168.123.0 0.0.0.0 255.255.255.0 U 0 0 0 eth2

169.254.0.0 0.0.0.0 255.255.0.0 U 0 0 0 eth0

127.0.0.0 0.0.0.0 255.0.0.0 U 0 0 0 lo

0.0.0.0 192.168.123.254 0.0.0.0 UG 0 0 0 eth0

Which of the following statements is correct?

- A. The network 169.254.0.0 is not a valid route.
- B. The host 194.168.123.5 is temporarily down.
- C. The host route 194.168.123.5 is rejected by the kernel.
- D. The "!H" signals that traffic to the host 194.168.123.5 is dropped.
- E. The network path to the host 194.168.123.5 is not available.

Answer: C

16. Which of the following organisations track and report on security related flaws in computer technology? (Please select TWO answers)

- A. Bugtraq
- B. CERT

- C. CSIS
- D. Freshmeat
- E. Kernel.org

Answer: AB

17. LDAPbased authentication against a newlyinstalled LDAP server does not work as expected. The file /etc/pam.d/login includes the following configuration parameters. Which of them is NOT correct?

- A. password required /lib/security/pam_ldap.so
- B. auth sufficient /lib/security/pam_ldap.so use_first_pass
- C. account sufficient /lib/security/pam_ldap.so
- D. password required /lib/security/pam_pwdb.so
- E. auth required /lib/security/pam_ldap.so

Answer: E

18. Users in the acl named 'sales_net' must only be allowed to access to the Internet at times specified in the time_acl named 'sales_time'. Which is the correct http_access directive, to configure this?

- A. http_access deny sales_time sales_net
- B. http_access allow sales_net sales_time
- C. http_access allow sales_net and sales_time
- D. allow http_access sales_net sales_time
- E. http_access sales_net sales_time

Answer: B

19. A GRUB boot loader installed in the MBR was accidentally overwritten. After booting with a rescue CDROM, how can the lost GRUB first stage loader be recovered?

- A. Use cp to restore a previous backup of the MBR.
- B. Install LILO since there is no easy way to recover GRUB.
- C. Running mformat will create a new MBR and fix GRUB using info from grub.conf.
- D. Run grubinstall after verifying that grub.conf is correct.
- E. Run fdisk mbr /dev/hda assuming that the boot hardisk is /dev/hda.

Answer: D

20. The internal network (192.168.1.0/24) needs to be able to relay email through the site's sendmail server. What line must be added to /etc/mail/access to allow this?

- A. 192.168.1.0/24 RELAY
- B. 192.168.1 RELAY
- C. 192.168.1.0/24 OK
- D. 192.168.1 OK

Answer: B

More [117-202 dumps](#) Information

Related 117-202 dumps

117-202 117-201

Other Lpi dumps

117-151 117-199 117-102 117-201 117-303
117-301 117-101 117-302 117-202