



Oracle 1z0-301

Exam Name: *oracle9ias:basic administration*

Q & A : 180 Q&As

Pdf Demo

Quality and Value for the 1z0-301 Exam

[Exam4Dumps Practice test](#) for Oracle OCA 1z0-301 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 1z0-301 exam dumps, 1z0-301 questions and answers is the real 1z0-301 practice test.

[OCA Certification](#) 1z0-301 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and OCA product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **1z0-301 practice test** and with all the correct answer. we promise the 1z0-301 Q&A for OCA 1z0-301 (oracle9ias:basic administration) examination of original title complete coverage. 1z0-301 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

exam4dumps professional provide OCA 1z0-301 the newest Q&A, completely covers 1z0-301 test original topic. With our complete OCA braindumps resources, you will minimize your OCA cost and be ready to pass your 1z0-301 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 1z0-301 Exam

If you do not pass the OCA 1z0-301 exam on your first attempt using our Exam4Dumps **1z0-301 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 1z0-301 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [OCA certification](#) examination. Details are researched and produced by [Oracle Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 1z0-301 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. An application developer provides you with the LoginServlet.class file and informs you that the servlet needs to connect to your production database.

As a Web Administrator, you are responsible for configuring the appropriate data source. No data sources have been configured up to now. Which three are true regarding enabling the servlet to connect to the database? (Choose three.)

- A. You can use the preinstalled data source and customize it appropriately for your needs.
- B. To use the preinstalled data source you first need to delete the <data-source> entries.
- C. If it is a global data source that applies to all applications, the data source is configured at the application level for this application.
- D. Global data sources are specified in the data-sources.xml file and applications can refer to that.
- E. If it is a local data source that applies to only this application, the data source is configured at the application level for this application.
- F. Data sources are defined in the application.xml file and your application can know about those data sources only if the data-sources.xml file knows about it.

Answer: ADE

2. The machine hosting your Oracle9iAS Infrastructure has been stopped and the operating system has been restarted. Which three steps do you need to take to get Oracle Internet Directory working? (Choose three.)

- A. Start Enterprise Manager daemon.
- B. Start the Oracle9iAS metadata repository and the database listener.
- C. Start Oracle Management Server in order to get connected to OEM Web site.
- D. Navigate to the infrastructure homepage, select Oracle Internet Directory, and then click Start.
- E. Navigate to the Farm page, select the Oracle9iAS Infrastructure instance, and click Start All to start Oracle9iAS metadata repository and the database listener and all OID components.
- F. Navigate to the Oracle Internet Directory home page and start the Distributed Administration Service.

Answer: ABD

3. The number of users working with the OID server increases suddenly. Which two actions can you take to immediately maintain the performance of the OID server? (Choose two.)

- A. Allocate more space to the underlying database.
- B. Increase the size of the memory of the OID server.
- C. Increase the number of server process by increasing the value of ORCLSERVERPROCS and restart the instance.
- D. Increase the number of database connections for each server process by increasing the value of ORCLMAXCC and restart the instance.

Answer: CD

4. Documents matching the following regular expression are defined as being cacheable in the cacheability rules for your Web Cache: /.html?\$/

Your site has many .htm and .html files that are presented to Web visitors. Which file types will be cached?

- A. The .html files would be cached, but not the .htm files.
- B. The .htm files would be cached, but not the .html files.
- C. Both the .html files and the .htm files would be cached.
- D. Neither the .html files nor the .htm files would be cached.

Answer: C

5. Which two protocols are used to communicate directly to an OC4J instance that is deployed as part of an Oracle9iAS instance? (Choose two.)

- A. ORMI
- B. HTTPS
- C. HTTP
- D. AJP12
- E. AJP13

Answer: AE

6. During an installation you need to be prepared to enter some information. Which two are required for a successful Oracle9iAS Infrastructure installation? (Choose two.)

- A. the database administration password for the metadata repository
- B. the username and password to log on to Oracle9iAS Single Sign-On Server
- C. the location from which the Enterprise Manager daemon should be started
- D. the database character set that should be used for the metadata repository
- E. to specify which Oracle9iAS repositories should be stored in the metadata repository
- F. the unique name for the Oracle9iAS Infrastructure instance and the ias_admin password

Answer: DF

7. Click the Exhibit button to examine the syntax of the dcmctl deployApplication command.

You want to deploy the Web application module packaged in simple-web.war to your OC4J instance j2ee1. The Web archive is stored on the application server under the directory /home/users/to_deploy. The application should be named simple-web and the application should be accessible as mysimpleweb.

Which is the correct approach using dcmctl to deploy your application?

A. Wrap the Web application into a J2EE application (.ear file) before deployment because dcmctl supports only ear files.

Enter the following commands on your application server:

```
$> cd $ORACLE_HOME/dcm/bin
$> dcmctl deployApplication
-f /home/users/to_deploy/simple-web.ear
-a simple-web -co oc4j -rc mysimpleweb
```

B. Wrap the Web application into a J2EE application (.ear file) before deployment because dcmctl supports only ear files.

Enter the following commands on your application server:

```
$> cd $ORACLE_HOME/dcm/bin
$> dcmctl deployApplication
-f /home/users/to_deploy/simple-web.ear
-a mysimpleweb -co j2ee1 -rc simple-web
```

C. Enter the following commands on your application server:

```
$> cd $ORACLE_HOME/dcm/bin
$> dcmctl deployApplication
-f /home/users/to_deploy/simple-web.war
-a simple-web
```

D. Enter the following commands on your application server:

```
$> cd $ORACLE_HOME/dcm/bin
$> dcmctl deployApplication
-f /home/users/to_deploy/simple-web.war
-a simple-web -co j2ee1 -rc mysimpleweb
```

E. Enter the following commands on your application server:

```
$> cd $ORACLE_HOME/dcm/bin
$> dcmctl deployApplication
-f /home/users/to_deploy/simple-web.war
-a mysimpleweb -co j2ee1 -rc simple-web
```

Answer: D

8. The Web Cache Web site's invalidation messages can be sent to the target Web Cache's invalidation port through which two methods?

(Choose two.)

A. AJP

B. HTTP GET

C. HTTP POST

D. Oracle Net

E. HTTP GET WITH STRING

Answer: BC

More [1z0-301 dumps](#) Information

Related 1z0-301 dumps

1z0-301

Other Oracle dumps

1z0-222	1Z0-144	1z0-132	1z0-101	1Z0-052
1z0-120	1z0-403	1z0-225	1z0-402	1z0-035
1Z1-403	1Z1-241	1z0-605	1Z0-520	1z0-233
1Z0-200	1z0-141	1Z1-402	1z0-042	1Z1-054