



SUN 310-055

Exam Name: Sun Certified Programmer for the Java 2 Platform.SE 5.0

Q & A : 265 Q&As

Pdf Demo

Quality and Value for the 310-055 Exam

[Exam4Dumps Practice test](#) for SUN SCJP 310-055 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 310-055 exam dumps,310-055 questions and answers is the real 310-055 practice test.

[SCJP Certification](#) 310-055 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and SCJP product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **310-055 practice test** and with all the correct answer.we promise the 310-055 Q&A for SCJP 310-055 (Sun Certified Programmer for the Java 2 Platform.SE 5.0) examination of original title complete coverage.310-055 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide SCJP 310-055 the newest Q&A, completely covers 310-055 test original topic. With our complete SCJP braindumps resources, you will minimize your SCJP cost and be ready to pass your 310-055 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 310-055 Exam

If you do not pass the SCJP 310-055 exam on your first attempt using our Exam4Dumps **310-055 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 310-055 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [SCJP certification](#) examination. Details are researched and produced by [SUN Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 310-055 Exams:

This is demo only, this pdf do not include the questions and answers pictures

```
1. }
16. public int hashCode() {
17. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
2.
22. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
3. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
4.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
5. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
6. this.name = name;
15. }
16. public int hashCode() {
17. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
7.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
8.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

9. value *= multiplier;

7. }

8. public static void main(String[] args) {

9. MultiCalc calculator = new MultiCalc();

10. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

10. Click the Exhibit button.

1. public class SimpleCalc {

2. public int value;

3. public void calculate() { value += 7; }

4. }

And:

1. public class MultiCalc extends SimpleCalc{

2. public void calculate() { value -= 3; }

3. public void calculate(int multiplier) {

4. calculate();

5. super.calculate();

6. value *= multiplier;

7. }

8. public static void main(String[] args) {

9. MultiCalc calculator = new MultiCalc();

10. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

11. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

12. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

13. class A implements Foo {

25. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

14. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

A. Value is: 8

B. Compilation fails.

C. Value is: 12

D. Value is: -12

E. The code runs with no output.

F. An exception is thrown at runtime.

Answer: A

15. Given:

11. public static Iterator reverse(List list) {

12. Collections.reverse(list);

13. return list.iterator();

14. }

15. public static void main(String[] args) {

16. List list = new ArrayList();

17. list.add("1"); list.add("2"); list.add("3");

18. for (Object obj: reverse(list))

19. System.out.print(obj + ", ");

20. }

What is the result?

A. 3, 2, 1,

B. 1, 2, 3,

C. Compilation fails.

D. The code runs with no output.

E. An exception is thrown at runtime.

Answer: C

```
16. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
17. public int fubar( Foo foo ) { return foo.bar(); }
```

```
21.
```

```
22. public void testFoo() {
```

```
23.
```

```
24. class A implements Foo {
```

```
25. public int bar() { return 2; }
```

```
26. }
```

```
27.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

A. Compilation fails.

B. The code compiles and the output is 2.

C. If lines 16, 17 and 18 were removed, compilation would fail.

D. If lines 24, 25 and 26 were removed, compilation would fail.

E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.

F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

18. Which two statements are true? (Choose two.)

A. An encapsulated, public class promotes re-use.

B. Classes that share the same interface are always tightly encapsulated.

C. An encapsulated class allows subclasses to overload methods, but does NOT allow overriding methods.

D. An encapsulated class allows a programmer to change an implementation without affecting outside code.

Answer: AD

19. Click the Exhibit button.

```
10. public class ClassA {
```

```
11. public void methodA() {
```

```
12. ClassB classB = new ClassB();
```

```
13. classB.getValue();
```

```
14. }
```

```
15. }
```

And:

```
20. class ClassB {
```

```
21. public ClassC classC;
```

```
22.
```

```
23. public String getValue() {
```

```
24. return classC.getValue();
25. }
26. }
```

And:

```
30. class ClassC {
31. public String value;
32.
33. public String getValue() {
34. value = "ClassB";
35. return value;
36. }
37. }
```

Given:

```
ClassA a = new ClassA();
a.methodA();
```

What is the result?

- A. Compilation fails.
- B. ClassC is displayed.
- C. The code runs with no output.
- D. An exception is thrown at runtime.

Answer: D

```
20. public int hashCode() {
17. return 420;
18. }
19. }
```

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

```
21. }
8. public static void main(String[] args) {
9. MultiCalc calculator = new MultiCalc();
10. calculator.calculate(2);
11. System.out.println("Value is: " + calculator.value);
12. }
13. }
```

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

```
22. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
```

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

23. }

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

24. return 420;

18. }

19. }

Which statement is true?

- A. The time to find the value from HashMap with a Person key depends on the size of the map.
- B. Deleting a Person key from a HashMap will delete all map entries for all keys of type Person.
- C. Inserting a second Person object into a HashSet will cause the first Person object to be removed as a duplicate.
- D. The time to determine whether a Person object is contained in a HashSet is constant and does NOT depend on the size of the map.

Answer: A

25. MultiCalc calculator = new MultiCalc();

10. calculator.calculate(2);

11. System.out.println("Value is: " + calculator.value);

12. }

13. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

26. }

What is the result?

- A. Value is: 8
- B. Compilation fails.
- C. Value is: 12
- D. Value is: -12
- E. The code runs with no output.
- F. An exception is thrown at runtime.

Answer: A

27. Given:

11. String test = "a1b2c3";

12. String[] tokens = test.split("\\d");

13. for(String s: tokens) System.out.print(s + " ");

What is the result?

- A. a b c
- B. 1 2 3
- C. a1b2c3
- D. a1 b2 c3

- E. Compilation fails.
- F. The code runs with no output.
- G. An exception is thrown at runtime.

Answer: A

28. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

30. public int bar() { return 2; }

26. }

27.

28. System.out.println(fubar(new A()));

29. }

30.

31. public static void main(String[] argv) {

32. new Beta().testFoo();

33. }

34. }

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

More [310-055 dumps](#) Information

Related 310-055 dumps

310-065 310-055 310- 212-055 310-036

Other SUN dumps

310-055 310-043 310-200 310-877 310-615

310-056	065Big5	310-035	310-055Big5
---------	---------	---------	-------------

310-035	310-540	310-220	212-083	310-202
212-019	310-045	310-092	310-025	311-203
310-560	310-100	212-105	310-875	310-630