



## **SUN 310-065**

**Exam Name: Sun Certified Programmer for the Java 2 Platform. SE6.0**

**Q & A : 207 Q&As**

***Pdf Demo***

### **Quality and Value for the 310-065 Exam**

[Exam4Dumps Practice test](#) for SUN SCJP SUN Other Certifications 310-065 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 310-065 exam dumps,310-065 questions and answers is the real 310-065 practice test.

[SCJP Certification SUN Other Certifications Certification](#) 310-065 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and SCJP SUN Other Certifications product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **310-065 practice test** and with all the correct answer.we promise the 310-065 Q&A for SCJP SUN Other Certifications 310-065 (Sun Certified Programmer for the Java 2 Platform. SE6.0) examination of original title complete coverage.310-065 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide SCJP SUN Other Certifications 310-065 the newest Q&A, completely covers 310-065 test original topic. With our complete SCJP SUN Other Certifications braindumps resources, you will minimize your SCJP SUN Other Certifications cost and be ready to pass your 310-065 tests on Your First Try, 100% Money Back Guarantee included!

### **100% Guarantee to Pass Your 310-065 Exam**

If you do not pass the SCJP SUN Other Certifications 310-065 exam on your first attempt using our Exam4Dumps **310-065 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

### **Downloadable, Interactive 310-065 Testing engines and PDF Version**

Our Braindumps Preparation Material provides you everything you will need to take a [SCJP certification SUN Other Certifications certification](#) examination. Details are researched and produced by [SUN Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

**Free 310-065 Exams:**

***This is demo only, this pdf do not include the questions and answers pictures***

```
1. public int fubar( Foo foo ) { return foo.bar(); }
21.
22. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
2. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
3. }
18. }
```

Which code, inserted at line 15, allows the class Sprite to compile?

- A. Foo { public int bar() { return 1; } }
- B. new Foo { public int bar() { return 1; } }
- C. new Foo() { public int bar() { return 1; } }
- D. new class Foo { public int bar() { return 1; } }

Answer: C

```
4. }
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.

- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

5. }

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

6. }

```
8. public static void main(String[] args) {  
9.     new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

7. class ClassC extends ClassA {}

and:

```
21. ClassA p0 = new ClassA();  
22. ClassB p1 = new ClassB();  
23. ClassC p2 = new ClassC();  
24. ClassA p3 = new ClassB();  
25. ClassA p4 = new ClassC();
```

Which three are valid? (Choose three.)

- A. p0 = p1;
- B. p1 = p2;
- C. p2 = p4;
- D. p2 = (ClassC)p1;
- E. p1 = (ClassB)p3;
- F. p2 = (ClassC)p4;

Answer: AEF

```
8. public static void main(String[] args) {  
9.     new Boxer1(new Integer(4));  
10. }  
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

9.

```
20. public int fubar( Foo foo ) { return foo.bar(); }  
21.
```

```
22. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

10. Given:

```
31. // some code here
32. try {
33. // some code here
34. } catch (SomeException se) {
35. // some code here
36. } finally {
37. // some code here
38. }
```

Under which three circumstances will the code on line 37 be executed? (Choose three.)

- A. The instance gets garbage collected.
- B. The code on line 33 throws an exception.
- C. The code on line 35 throws an exception.
- D. The code on line 31 throws an exception.
- E. The code on line 33 executes successfully.

Answer: BCE

```
11. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
12. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
13. new Boxer1(new Integer(4));
```

```
10. }
```

```
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```
14. }
```

```
16. }
```

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

```
15. x = i+y;
```

```
6. System.out.println(x);
```

```
7. }
```

```
8. public static void main(String[] args) {
```

```
9. new Boxer1(new Integer(4));
```

```
10. }
```

```
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

```
16.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
17. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
18. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```
19.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

```

20. public void testFoo() {
23.
24. class A implements Foo {
25. public int bar() { return 2; }
26. }
27.
28. System.out.println( fubar( new A() ) );
29. }
30.
31. public static void main( String[] argv ) {
32. new Beta().testFoo();
33. }
34. }

```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

21. Given:

```

11. public class Test {
12. public enum Dogs {collie, harrier, shepherd};
13. public static void main(String [] args) {
14. Dogs myDog = Dogs.shepherd;
15. switch (myDog) {
16. case collie:
17. System.out.print("collie ");
18. case default:
19. System.out.print("retriever ");
20. case harrier:
21. System.out.print("harrier ");
22. }
23. }
24. }

```

What is the result?

- A. harrier
- B. shepherd
- C. retriever
- D. Compilation fails.
- E. retriever harrier
- F. An exception is thrown at runtime.

Answer: D

22. Given:

```

1. public class Boxer1{
2. Integer i;
3. int x;
4. public Boxer1(int y) {
5. x = i+y;
6. System.out.println(x);
7. }
8. public static void main(String[] args) {
9. new Boxer1(new Integer(4));
10. }
11. }

```

What is the result?

- A. The value "4" is printed at the command line.

- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A NullPointerException occurs at runtime.
- E. A NumberFormatException occurs at runtime.
- F. An IllegalStateException occurs at runtime.

Answer: D

23. }

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output gobstopper? (Choose two.)

- A. System.load("prop.custom");
- B. System.getenv("prop.custom");
- C. System.property("prop.custom");
- D. System.getProperty("prop.custom");
- E. System.getProperties().getProperty("prop.custom");

Answer: DE

24.

```
22. public void testFoo() {
```

```
23.
```

```
24. class A implements Foo {
```

```
25. public int bar() { return 2; }
```

```
26. }
```

```
27.
```

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

25.

```
28. System.out.println( fubar( new A() ) );
```

```
29. }
```

```
30.
```

```
31. public static void main( String[] argv ) {
```

```
32. new Beta().testFoo();
```

```
33. }
```

```
34. }
```

Which three statements are true? (Choose three.)

- A. Compilation fails.
- B. The code compiles and the output is 2.
- C. If lines 16, 17 and 18 were removed, compilation would fail.
- D. If lines 24, 25 and 26 were removed, compilation would fail.
- E. If lines 16, 17 and 18 were removed, the code would compile and the output would be 2.
- F. If lines 24, 25 and 26 were removed, the code would compile and the output would be 1.

Answer: BEF

26. }

Which code, inserted at line 15, allows the class Sprite to compile?

- A. Foo { public int bar() { return 1; } }

- B. `new Foo { public int bar() { return 1; } }`
- C. `new Foo() { public int bar() { return 1; } }`
- D. `new class Foo { public int bar() { return 1; } }`

Answer: C

- ```
27. System.out.println(x);
7. }
8. public static void main(String[] args) {
9.   new Boxer1(new Integer(4));
10. }
11. }
```

What is the result?

- A. The value "4" is printed at the command line.
- B. Compilation fails because of an error in line 5.
- C. Compilation fails because of an error in line 9.
- D. A `NullPointerException` occurs at runtime.
- E. A `NumberFormatException` occurs at runtime.
- F. An `IllegalStateException` occurs at runtime.

Answer: D

- ```
28. class ClassB extends ClassA {}
13. class ClassC extends ClassA {}
```

and:

- ```
21. ClassA p0 = new ClassA();
22. ClassB p1 = new ClassB();
23. ClassC p2 = new ClassC();
24. ClassA p3 = new ClassB();
25. ClassA p4 = new ClassC();
```

Which three are valid? (Choose three.)

- A. `p0 = p1;`
- B. `p1 = p2;`
- C. `p2 = p4;`
- D. `p2 = (ClassC)p1;`
- E. `p1 = (ClassB)p3;`
- F. `p2 = (ClassC)p4;`

Answer: AEF

29. Given:

- ```
11. public static void main(String[] args) {
12.   Object obj = new int[] { 1, 2, 3 };
13.   int[] someArray = (int[])obj;
14.   for (int i : someArray) System.out.print(i + " ");
15. }
```

What is the result?

- A. 1 2 3
- B. Compilation fails because of an error in line 12.
- C. Compilation fails because of an error in line 13.
- D. Compilation fails because of an error in line 14.
- E. A `ClassCastException` is thrown at runtime.

Answer: A

- ```
30. System.out.println(myProp);
15. }
16. }
```

and the command line:

```
java -Dprop.custom=gobstopper Commander
```

Which two, placed on line 13, will produce the output `gobstopper`? (Choose two.)

- A. `System.load("prop.custom");`
- B. `System.getenv("prop.custom");`
- C. `System.property("prop.custom");`
- D. `System.getProperty("prop.custom");`

E. System.getProperties().getProperty("prop.custom");

Answer: DE

More [310-065 dumps](#) Information

#### **Related 310-065 dumps**

|         |         |             |         |             |         |
|---------|---------|-------------|---------|-------------|---------|
| 310-065 | 310-055 | 310-065Big5 | 212-055 | 310-035     | 310-036 |
|         |         |             |         | 310-055Big5 |         |
| 310-056 |         |             |         |             |         |

#### **Other SUN dumps**

|         |         |             |         |         |
|---------|---------|-------------|---------|---------|
| 310-302 | 310-502 | 310-202     | 310-062 | 310-092 |
| 310-013 | 310-815 | 310-400     | 310-091 | 310-879 |
| 310-056 | 310-345 | 310-055Big5 | 212-202 | 310-560 |
|         |         |             | 310-131 | 212-200 |
| 310-630 | 310-025 | 310-043     |         |         |