



[Cisco 642-072](#)

Exam Name: Cisco Unity Design and Networking(CUDN)

Q & A : 72 Q&As

[Pdf Demo](#)

Quality and Value for the 642-072 Exam

[Exam4Dumps Practice test](#) for Cisco Others 642-072 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest 642-072 exam dumps,642-072 questions and answers is the real 642-072 practice test.

[Others Certification](#) 642-072 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and Others product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **642-072 practice test** and with all the correct answer.we promise the 642-072 Q&A for Others 642-072 (Cisco Unity Design and Networking(CUDN)) examination of original title complete coverage.642-072 Questions & Answers help you pass the exam. Otherwise,we will give you a full refund.

exam4dumps professional provide Others 642-072 the newest Q&A, completely covers 642-072 test original topic. With our complete Others braindumps resources, you will minimize your Others cost and be ready to pass your 642-072 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your 642-072 Exam

If you do not pass the Others 642-072 exam on your first attempt using our Exam4Dumps **642-072 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive 642-072 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [Others certification](#) examination. Details are researched and produced by [Cisco Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free 642-072 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. Which Cisco Unity component does VERITAS Backup Exec back up that the Cisco Unity Disaster Recovery Tool does not?

- A. routing rules
- B. SQL database
- C. operating system
- D. off-box messages

Answer: C

2. Refer to the exhibit. Given the information shown and knowledge that hardware transcoders are installed on the routers, which codec should be used by the Cisco Unity server for prompts and message record format?

- A. G.711
- B. G.726
- C. G.729a
- D. GSM 6.10

Answer: A

3. You are asked to consult on a Cisco Unity installation at the customer branch location. Users have slow access when they log on to Cisco Unity to retrieve their messages. At the branch location there are 2000 users on each of the two Cisco Unity servers and two Exchange servers. The call traffic is relatively low. There is never a time when all ports are busy on either Cisco Unity server. At headquarters there are two Cisco Unity servers, two Exchange servers, and a domain controller/global catalog server.

How can you solve the issue at the branch location?

- A. The Exchange Optimizer application should be run on both messaging stores.
- B. An additional Exchange server should be added to the remote site.
- C. A domain controller/global catalog server with name resolution should be added to the remote site for authentication.
- D. More fiber-optic-level bandwidth should be added between the Cisco Unity servers and the Exchange servers.

Answer: C

4. The Cisco Unity Internet Voice Connector performs which task on incoming VPIM messages?

- A. sets the address type to VOICE
- B. converts the message to MAPI format
- C. routes messages to the UOmnibox
- D. converts voice attachments to the G.729a audio format

Answer: B

5. A customer has Cisco Unity installed in a distributed call-processing configuration. At their remote location, one of their two Cisco Unity Unified Messaging servers experiences a catastrophic failure. Your customer wants to use the recent Cisco Unity Disaster Recovery Tool backup to restore the failed server user database to the functioning Cisco Unity server.

What do you tell the customer?

- A. This will work only if the user database does not exceed 7500 users on the functioning server.
- B. This will work if all the user Exchange aliases are unique.
- C. The Disaster Recovery Tool will restore only to the default Cisco Unity database.
- D. VERITAS Backup Exec must be used in this scenario.

Answer: C

6. You are setting up VLANs for integration with IP telephony. Cisco Unity must reside on which VLAN?

- A. on the same VLAN as the Cisco Unified CallManager
- B. on the same VLAN as the messaging servers
- C. In a voice-mail-only environment on the voice VLAN, in Cisco Unity Unified Messaging it does not matter.
- D. The voice VLAN is preferable, but not mandatory.

Answer: B

7. Some Cisco Unity Unified Messaging users complain that they cannot make a TRaP connection when attempting to play and record messages through their desktops. What is a possible cause of this?

- A. A firewall separates these users from Cisco Unity.
- B. These users are not licensed for Unified Messaging.
- C. These users need to have their Exchange mailboxes modified to allow access.
- D. The Cisco Unity server does not have a sufficient number of Unified Messaging licenses.

Answer: A

8. Which statement about the DiRT backup is true?

- A. It can be restored to a functioning Cisco Unity of the same software level.
- B. It can be restored to a functioning Cisco Unity of an upgraded software level.
- C. It can be restored to a Cisco Unity platform with only the operating system installed.
- D. It can be restored to a Cisco Unity platform with the operating system and SQL installed.

Answer: A

9. The Cisco Unity Voice Connector performs which task on an outgoing VPIM message?

- A. sets the address type to VOICE
- B. converts the message to MAPI format
- C. stores the message in the VPIM mailbox
- D. converts the outgoing message to G.726

Answer: D

10. Refer to the exhibit. Your company needs to exchange voice messages with a supplier using VPIM. You are asked to provide "dial by name" and you want to maintain your internal 5-digit dialing plan. You add VPIM subscribers using a 5-digit extension and a 5-digit remote mailbox number. Because the voice-mail system of your supplier supports only blind addressing, they want to use the full DID number to send messages to you.

Which prefix should be configured in Cisco Unity server VPIM delivery location?

- A. Cisco Unity Prefix=23
- B. Cisco Unity Prefix=40823
- C. Remote Cisco Unity Prefix=78
- D. Remote Cisco Unity Prefix=91978

Answer: D

11. Your customer is concerned about security on their Cisco Unity Unified Messaging installation. Which two steps can they take to improve security? (Choose two.)

- A. Install antivirus software.
- B. Perform a nightly backup.
- C. Keep voice-mail messages on the box.
- D. Install Cisco Security Agent for Cisco Unity.
- E. Isolate Cisco Unity behind a separate firewall.

Answer: AD

12. Refer to the exhibit. How many Bridgebox delivery locations must be configured in the Cisco Unity Bridgehead server?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: C

13. Refer to the exhibit. Company A deploys three Cisco Unity servers to provide messaging for their headquarters. They recently acquired Company B, which has a networked Octel voice-mail system. Redundant OC-3 WAN connections have been provisioned for IP connectivity between all locations. You must interconnect the two voice-mail systems.

What is the best location for deploying the Bridge server?

- A. Site A
- B. Site B
- C. Site C
- D. Site D

Answer: B

14. Refer to the exhibit. A company has a remote branch with 50 telephones. There are no hardware transcoders on the routers.

With the configuration as presented, which statement is true about codec use on the Cisco Unity?

- A. Cisco Unity should be set to use G.729a.
- B. Cisco Unity should always use G.711 for messages.
- C. Cisco Unity should use G.729a for messages and G.711 for prompts.
- D. Cisco Unity codec must always be matched to Cisco Unified CallManager in centralized messaging deployments.

Answer: A

15. You are attempting to manage subscribers on other Cisco Unity servers. When you attempt to connect, you are denied access. What is the probable cause?

- A. You can use only Terminal Services for this function.

- B. You do not have permissions and must run the Grant Unity Access utility.
- C. You cannot manage Cisco Unity servers located outside your dialing domain.
- D. The Cisco Unity server you are attempting to reach has the Cisco Security Agent for Unity installed.

Answer: B

16. Refer to the exhibit. Which Cisco Unity deployment model is shown?

- A. centralized call processing, distributed messaging
- B. centralized call processing, centralized messaging
- C. distributed call processing, decentralized messaging
- D. localized call processing, localized branch messaging

Answer: A

17. The Interop Gateway service is configured to run on which server or servers in an interoperability scenario?

- A. IBM Lotus Domino server or servers with Cisco Unity users
- B. all Cisco Unity servers in the IBM Lotus Domino configuration
- C. the Cisco Unity Bridgehead server in the IBM Lotus Domino configuration
- D. IBM Lotus Domino servers where the DUC is installed

Answer: C

More [642-072 dumps](#) Information

Related 642-072 dumps

9L0-007	GB0-	642-105	642-164	642-072
	190Chinese	GB0-520	GB0-190	642-242
646-056	646-573	GB0-540	646-222	GB0-500
646-361	646-151	646-561	646-589	642-052
646-392	646-574			

Other Cisco dumps

642-522	640-801	642-971	352-001	642-524
646-363	642-582	642-811	646-057	642-521
642-587	646-058	644-141	646-589	642-382
642-242	642-901	642-654	642-982	642-274