



Juniper Networks JN0-400

Exam Name: EX, Associate (JNCIA-EX)

Q & A : 104 Q&As

Pdf Demo

Quality and Value for the JN0-400 Exam

[Exam4Dumps Practice test](#) for Juniper Networks JNCIA JN0-400 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development. our products of the latest JN0-400 exam dumps, JN0-400 questions and answers is the real JN0-400 practice test.

[JNCIA Certification](#) JN0-400 Q&A are created by senior IT lecturers in exam4dumps certification Q&A network and JNCIA product experts combination PROMETRIC or VUE true-to-date environmental examination of the original title.

The Questions & Answers cover the latest real **JN0-400 practice test** and with all the correct answer. we promise the JN0-400 Q&A for JNCIA JN0-400 (EX, Associate (JNCIA-EX)) examination of original title complete coverage. JN0-400 Questions & Answers help you pass the exam. Otherwise, we will give you a full refund.

exam4dumps professional provide JNCIA JN0-400 the newest Q&A, completely covers JN0-400 test original topic. With our complete JNCIA braindumps resources, you will minimize your JNCIA cost and be ready to pass your JN0-400 tests on Your First Try, 100% Money Back Guarantee included!

100% Guarantee to Pass Your JN0-400 Exam

If you do not pass the JNCIA JN0-400 exam on your first attempt using our Exam4Dumps **JN0-400 testing engine and pdf study guide**, we will give you a FULL REFUND of your purchasing fee.

Downloadable, Interactive JN0-400 Testing engines and PDF Version

Our Braindumps Preparation Material provides you everything you will need to take a [JNCIA certification](#) examination. Details are researched and produced by [Juniper Networks Certification](#) Experts who are constantly using industry experience to produce precise, and logical.

Free JN0-400 Exams:

This is demo only, this pdf do not include the questions and answers pictures

1. You want to configure a static default route to the gateway 10.1.1.1.

Which set command will accomplish this task?

- A.set routes static route 0.0.0.0/0 gateway 10.1.1.1
- B.set protocols static route 0.0.0.0/0 next-hop 10.1.1.1
- C.set family inet static route 0.0.0.0/0 next-hop 10.1.1.1
- D.set routing-options static route 0.0.0.0/0 next-hop 10.1.1.1

Answer: D

2. Which two statements describe the EX 3200 switches? (Choose two.)

- A.The single-blower fan tray used for the EX 3200 switches is field replaceable.
- B.The EX 3200 switches can be interconnected to form a single virtual chassis.
- C.The redundant AC power supply units on the EX 3200 switches are hot swappable and load sharing.
- D.The EX 3200 switches support either 4-port 1-Gigabit Ethernet or 2-port 10-Gigabit Ethernet uplink modules.

Answer: AD

3. Which statement regarding packet flow through an EX-series switch is correct?

- A.Transit packets are processed by the Routing Engine.
- B.The destination MAC address determines which lookup table is used.
- C.The Routing Engine is consulted when processing both transit and host packets.
- D.Routing protocol control packets are processed only by the Packet Forwarding Engine.

Answer: B

4. Which two statements are true about route preferences? (Choose two.)

- A.Lower route preferences are more preferred.
- B.Higher route preferences are more preferred.
- C.Direct and local routes always have the best route preference.
- D.Static routes are always more preferred than routes from dynamic routing protocols.

Answer: AC

5. Click the Exhibit button.

Given the configuration in the exhibit, which command would configure the IP address 10.10.10.1/24 for VLAN 2?

```
3 interfaces {
  ge-0/0/0 {
    unit 0 {
      family ethernet-switching {
        vlan {
          members v2;
        }
      }
    }
  }
  ge-0/0/1 {
    unit 0 {
      family ethernet-switching;
    }
  }
  v2 {
    v2 {
      v2 {
        vlan-id 2;
        interface {
          ge-0/0/1.0;
        }
      }
    }
  }
}
```

- A.set v2 family inet address 10.10.10.1/24
- B.set interfaces v2 family inet address 10.10.10.1/24

- C.set interfaces vlan unit 2 family inet address 10.10.10.1/24
- D.set interfaces ge-0/0/1 unit 0 family inet address 10.10.10.1/24

Answer: C

6. You are configuring the voice VLAN feature on an EX-series switch on interface ge-0/0/5.

Which configuration would you use?

- A.ethernet-switching-options { voice-vlan { interface ge-0/0/5.0 { vlan voice-over-ip; forwarding-class expedited-forwarding; } }}
- B.ethernet-switching-options { voip { interface ge-0/0/5.0 { member-vlan voice-over-ip; forwarding-class expedited-forwarding; } }}
- C.ethernet-switching-options { voip { interface ge-0/0/5.0 { vlan voice-over-ip; forwarding-class expedited-forwarding; } }}
- D.ethernet-switching-options { voice-vlan { interface ge-0/0/5.0 { member-vlan voice-over-ip; forwarding-class expedited-forwarding; } }}

Answer: C

7. Click the Exhibit button.

Why will the configurations in the exhibit fail to provide gateway redundancy between Switch-1 and Switch-2?

3 Switch-1:

```
interfaces {
ge-0/0/3 {
unit 0 {
family inet {
address 10.1.1.2/24 {
vrrp-group 100 {
virtual-address 10.1.1.1;
priority 110;
}
}
}
}
}
```

Switch-2:

```
interfaces {
vlan {
unit 100 {
family inet {
address 10.1.1.3/24 {
vrrp-group 200 {
virtual-address 10.1.1.1;
priority 90;
}
}
}
}
}
```

- A.The IP addresses do not match.
- B.The group numbers do not match.
- C.The priority numbers do not match.
- D.VRRP is not supported between a physical interface and a VLAN interface.

Answer: B

8. What are two features of JUNOS software? (Choose two.)

- A.JUNOS facilitates separate control and forwarding planes.
- B.All processes use shared memory to make efficient use of available resources.
- C.The functionality of JUNOS is made possible through multiple processes that are dependant on each other.
- D.All processes run in their own protected memory space to prevent against complete system failure when a single process fails.

Answer: AD

9. On an EX-series switch, what information is gathered when building a bridge table? (Choose two.)

- A.interface
- B.IP address
- C.MAC address
- D.authentication information

Answer: AC

10. Which two statements describe the EX 4200 switches? (Choose two.)

- A.The fan tray used for the EX 4200 switches is not field replaceable.
- B.The EX 4200 switches can be interconnected to form a single virtual chassis.
- C.The EX 4200 switches support redundant load-sharing AC power supplies.
- D.All EX 4200 switches support either partial or full Power over Ethernet (PoE) support.

Answer: BC

11. Which two major components make up the control and forwarding planes for an EX-series switch? (Choose two.)

- A.Routing Engine
- B.Switching Engine
- C.Switching Fabric Module
- D.Packet Forwarding Engine

Answer: AD

12. You want to configure the JUNOS software to run OSPF on interfaces ge-0/0/1.0 and ge-0/0/2.0 and to place these two interfaces in Area 0.

Which command(s) will accomplish this task?

- A.set protocols ospf interface ge-0/0/1.0 area 0.0.0.0set protocols ospf interface ge-0/0/2.0 area 0.0.0.0
- B.set protocols ospf area 0.0.0.0 interface ge-0/0/1.0set protocols ospf area 0.0.0.0 interface ge-0/0/2.0
- C.set protocols ospf area 0 interfaces [ge-0/0/1.0 ge-0/0/2.0]
- D.set interfaces ge-0/0/1 unit 0 family inet ospf area 0.0.0.0set interfaces ge-0/0/2 unit 0 family inet ospf area 0.0.0.0

Answer: B

13. Which two statements are true regarding the Virtual Router Redundancy Protocol (VRRP)? (Choose two.)

- A.The routers participating in VRRP elect a master router by choosing the router with the lowest priority.
- B.The routers participating in VRRP all use the same virtual MAC address for a particular virtual IP address.
- C.The routers participating in VRRP must share a common group ID to provide redundancy for the virtual IP addresses defined under that group.
- D.The routers participating in VRRP always elect a common master on a network segment, rather than one master for each VRRP group configured on a network segment.

Answer: BC

14. Which three functions are performed in the control plane? (Choose three.)

- A.protocol updates
- B.packet forwarding
- C.system management
- D.service implementation
- E.forwarding table maintenance

Answer: ACE

15. An EX-series switch has two routes for the same prefix: one that it received through OSPF and one that is a static route.

How will the switch choose a route to use for this prefix?

- A.The switch will compare metrics and use the route with the lowest metric.
- B.The switch will compare metrics and use the route with the highest metric.
- C.The switch will compare route preferences and use the route with the highest route preference.
- D.The switch will compare route preferences and use the route with the lowest route preference.

Answer: D

16. Which two are included in the EZsetup configuration for EX-series switches? (Choose two.)

- A.Configure syslog servers.
- B.Configure routing protocols.
- C.Configure root authentication.
- D.Configure me0 management Ethernet port.

Answer: CD

17. What are two components of the JUNOS software architecture? (Choose two.)

- A.multiple software processes
- B.separation of control and forwarding planes
- C.shared memory environment for all processes

D. efficient processing of all packets through the control plane

Answer: AB

18. Which two statements regarding packet flow through an EX-series switch are correct? (Choose two.)

A. Transit packets are processed by the Routing Engine.

B. The destination MAC address determines which lookup table is used.

C. If the egress port belongs to the ingress Packet Forwarding Engine, the packet is switched locally.

D. If the egress port belongs to a remote Packet Forwarding Engine, the Routing Engine is consulted prior to forwarding the packet.

Answer: BC

19. Within a virtual chassis, which type of switch maintains the forwarding table?

A. line card

B. master switch

C. routing switch

D. forwarding switch

Answer: B

20. You want to configure Layer 3 routing between two VLANs on a single EX-series switch.

In which configuration hierarchy would you configure the IP addresses for each VLAN?

A. [edit vms]

B. [edit family inet]

C. [edit interfaces vlan]

D. [edit routing-options]

Answer: C

More [JN0-400 dumps](#) Information

Related JN0-400 dumps

JN0-100	JN0-522	JN0-342	JN0-400	JN0-141
jn0-201	jn0-320	JN0-521	JN0-341	jn0-120
JN0-311	jn0-541	jn0-570	jn0-540	JN0-562
JN0-321	jn0-561	jn0-140	jn0-520	JN0-340

Other Juniper Networks dumps

jn0-531	jn0-330	jn0-541	jn0-561	JN0-100
jn0-570	JN0-331	jn0-201	jn0-310	JN0-341
jn0-320	jn0-540	jn0-140	jn0-520	jn0-530
JN0-562	JN0-521	JN0-311	JN0-400	JN0-342